

**Millennia®**

- Lightweight nylon frame with superior side and brow protection; 180° clear field of vision.
- Comfortable, universal nose bridge.
- High impact, abrasion-resistant polycarbonate dual 9-base wraparound uni-lens.
- Adjustable, break-away Flexi-cord™ retainer
- Meets or exceeds ANSI Z87.1-1989.



Part No. 11150353

Part No.	Frame	Lens Color
11150350	Black	Clear
11150351	Black	TSR* gray
11150352	Black	HDL† yellow
11150353	Black	Indoor/outdoor

† HDL - provides high visibility and good contrast in low light conditions as well as blue light protection and increased visual depth perception.

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

**Millennia® Sport**

- Optical grade impact resistant 9-base wrap-around lens; 180° clear field of vision.
- Adjustable, break-away Flexi-cord™ retainer.
- Meets or exceeds ANSI Z87.1-1989 and CSA Z94.3-1999 standards.



Part No. 11150750

Part No.	Frame	Lens Color
11150750	Black	Clear
11150751	Black	TSR* gray

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

**Prevail®**

- Contemporary action-gear design encourages compliance.
- Fog-Ban® repels moisture and fogging.
- Universal bridge design ensures comfortable fit on every face.
- Durable nylon frames feature side impact protection.
- Adjustable, break-away Flexi-cord™ retainer.
- Meets or exceeds ANSI Z87.1-1989 standards without side shields.



Part No. 11150309

Part No.	Frame	Lens Color
11150306	Black	Clear FogBan®
11150309	Black	Silver mirror
11150310	Blue	Blue mirror

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

**Op-Tema®**

- Sporty wrap-around lens.
- Soft, adjustable nosepiece with adjustable temple length and lens inclination.
- Adjustable, breakaway Flexi-cord™ retainer.
- Meets or exceeds ANSI Z87.1-1989 and CSA Z94.3-1992 standards.



Part No. 11150400

Part No.	Frame	Lens Color
11150400	Black	Clear
11150410	Blue	Clear

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

**Fuse™**

- Metal frame with exceptional coverage.
- Gunmetal frame with dual 9-base wrap-around lens design for full unobstructed field of vision.
- Adjustable saddle nose pads and soft flexible temple tips.
- Durable polycarbonate lens with scratch resistant coating.
- Willson Fog-Ban® coating on clear and TSR gray lenses.
- Includes adjustable break-away Flexi-cord™ for added security and convenience.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.



Part No. 11150800

Part No.	Frame	Lens Color
11150800	Gunmetal	Clear
11150801	Gunmetal	TSR* gray
11150804	Gunmetal	Silver mirror
11150805	Gunmetal	Clear Fog-Ban®
11150806	Gunmetal	TSR* gray Fog-Ban®

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

## Spectacles

### Vapor™

- Sports styling in a metallic blue painted frame.
- 9-base wrap-around dual lens and sport temples.
- Soft nose bridge for better comfort and fit.
- Durable polycarbonate lens with scratch resistant or anti-fog coating.
- Willson Fog-Ban® coating on clear and TSR® gray lenses.
- Includes adjustable break-away Flexi-cord™ for added security and convenience.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.



Part No. 11150901

Part No.	Frame	Lens Color
11150900	Metallic blue	Clear
11150901		TSR* gray
11150904		Silver mirror
11150905		Clear Fog-Ban®
11150906		TSR* gray Fog-Ban®

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

### Vapor II™

- Affordably priced and economical for your business.
- Light-weight black nylon frame with sport styling for all-day wear.
- Comfortable sport temples with secure wrap-around fit.
- Soft nose bridge conforms to varying shapes preventing slipping.
- 9-base polycarbonate hardcoat lenses are distortion-free, 180° field of vision.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.



Part No. 11150914

Part No.	Frame	Lens Color
11150910	Black	Clear
11150911		TSR* gray
11150914		Silver mirror
11150915		Clear Fog-Ban®
11150916		TSR* gray Fog-Ban®

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

### A700

- Sporty, 9-base wrap-around polycarbonate lens.
- Non-slip rubber nosepiece.
- Unique temples with soft, padded inserts down the length of the temple.
- Extra "flex" built into the temple for increased tension control.
- Meets ANSI Z87+ safety standards.



Part No. A700

Part No.	Frame	Lens Color
A700	Clear	Clear
A701	Gray	TSR* gray
A703	Gray	Blue mirror
A704	Gray	I/O silver mirror
A705	Clear	Clear Fog-Ban®

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

### A800

- Sporty, 9-base wrap-around polycarbonate lens.
- Non-slip rubber nosepiece.
- Unique temples with soft, padded inserts down the length of the temple.
- Extra "flex" built into the temple for increased tension control.
- Meets ANSI Z87+ safety standards.



Part No. A803

Part No.	Frame	Lens Color
A800	Clear	Clear
A801	Gray	TSR* gray
A802	Amber	Amber
A803	Gray	Blue mirror
A804	Gray	I/O silver mirror
A805	Clear	Clear Fog-Ban®
A806	Gray	TSR* gray Fog-Ban®

\* TSR - for outdoor use when bright sunlight and glare can cause eye fatigue. Meets requirements for traffic signal recognition.

## Spectacles & Goggles

### Visitorspec

- Superb optics allow clear, distortion-free vision.
- Wide viewing area with excellent coverage.
- Soft nose bridge for better comfort and fit.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.
- Made in USA.



Part No. 1180025W

Part No.	Frame	Lens Color
1180025W	Black Temple	Clear

### Gleneagle®

- Dual lens, aviator design.
- Wraparound side shields.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.



Part No. 11150098

Part No.	Frame	Lens Color
11150073	Black matte	Clear
11150098	Black matte	Dark TCG
11150128	Black matte	IR/PC shade 3
11150129	Black matte	IR/PC shade 5

### V-MAXX® Goggle

- Sleek wrap-around styling.
- 180°, clear field of vision.
- Direct and indirect ventilation styles available for impact or splash applications.
- Lenses coated with Willson® Fog-Ban® anti-fog coating.
- Adjustable elastic or neoprene headband.
- Pivoting headband clips to adjust strap around hard hats or hearing protection.
- Peel-off goggle covers available to extend useful life of the lens.
- OTG compatible (can be worn over most prescription eye wear).
- Meets ANSI Z87+ and CSA Z94.3 safety standards.



Part No. 11250800

Part No.	Description	Lens Color
11250800	Direct vent, elastic headband	Clear Fog-Ban®
11250810	Indirect vent, Neoprene headband	Clear Fog-Ban®
11250830	Indirect vent, elastic headband	IR/PC 3.0 Shade
11250850	Indirect vent, elastic headband	IR/PC 5.0 Shade



Face Shields / Visors

**Bionic® Shield**

- Enhanced protection from airborne debris.
- Excellent optics and increased visibility.
- Easily replaceable visor with dual position choices.
- Secure visor attachment.
- Lightweight and balanced, ergonomic design for extended use.
- Comfortably worn with most goggles and respirators.
- Faceshield offers secondary protection and must be worn with spectacles or goggles.
- Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris.
- Hardhat accessory is compatible with multiple hardhats, and was tested with Willson® as well as major competitor styles. **ANSI**



Part No. S8500



Part No. S8560

Part No.	Visor Color/Material	Description
S8500	Clear/Polycarbonate	Uncoated
S8510	Clear/Polycarbonate	Anti-fog/hardcoat

**Replacement Visors**

Part No.	Visor Color/Material	Description
S8550	Clear Polycarbonate	Uncoated
S8555	Clear Polycarbonate	Anti-fog/hardcoat
S8560	Shade 3.0 Polycarbonate	Uncoated
S8565	Shade 5.0 Polycarbonate	Uncoated



**Protecto-Shield® Replacement Visors**

- Available in propionate, polycarbonate and acetate for a variety of environments.
- Easy attachment without snaps, posts or levers.
- Reinforced edge to resist cracking.
- Universal hole pattern allows the use of Willson visors with other popular manufacturers' headgear.
- Meets ANSI Z87+ and CSA Z94.3 safety standards.
- 20 per case



Part No. 11390044



Part No. 11390068



Part No. 11390069

Part No.	Description
11390044	Clear, individual, poly-bagged, propionate
11390046	Dark green, propionate
11390067	Shade 4, propionate
11390068	Shade 5, propionate
11390069	Shade 6, propionate
11390047	Clear, polycarbonate
11390048	Medium green, polycarbonate
11390049	Dark green, polycarbonate

**Respirators / Filters**

**Advantage® 200 LS Respirators**

The Advantage® 200 LS Respirator's lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber to give workers more comfort and stability than ever.

Extensive anthropometric research led to the Advantage® Respirator's unique design. MSA's engineers examined facial form data of over 8,000 people and, with CAD technology, developed the AnthroCurve™ Sealing Surface, which instantly conforms to each wearer's unique facial characteristics.



**Facepieces**

2-Piece Neckstrap	Single Neckstrap	Size
815696	815448	Small
815692	815444	Medium
815700	815452	Large

**Flexi-Filter®**

For Advantage® Respirators

The Flexi-Filter® Pad is a great alternative to a standard cartridge-type particulate filter. Its swept-back design and low profile make it ideal for use under welding hoods or any tight spot where a respirator must be worn. Low breathing resistance and light weight keep the respirator comfortable and secure on your face.

All Flexi-Filter® pads are approved to the recent NIOSH 42 CFR Part 84 regulation. The filters are built around a plastic frame, which forms a plenum through which the air flows. The filtration media is a composite of multiple-layered materials, which vary, according to the class and efficiency that are required. Thin layers of carbon media are added if nuisance odor removal is required.



Part No.	Description
818342	P100
818343	P100 OV/Ozone
818344	P100 AG/HF
818345	P100 HG/CL
818346	N95
818347	N95 OV/Ozone
818354	P95
818355	P95 OV/Ozone
10063227	P95/HF (NIOSH)

**NORTH**

**Low Maintenance Respirator N95**

- For solids such as welding fumes and non-oil particulates.
- Fits easily under a welding hood.
- Replacement filters available (below).
- 42CFR 84 approved.

Part No. 7190N99



Replacement filters for Part No. 7190N99

Part No. 719009N99- 2 pack

**WILLSON™**

**Saf-T-FIT® Disposable Respirators N95**

- Recommended use: particulate aerosols free of oil.
- Suggested applications: medical, grinding, polishing, sanding, woodworking, sweeping, other dusty applications.
- Individually wrapped for superior hygiene.
- Spring-open design for easy donning.
- Unique fold and hold mechanism keeps contamination out during non-use
- Boomerang nose seal for a secure fit.
- Lightweight, humidity-resistant, hypo allergenic filter media for low breathing resistance.
- Durable suspension straps eliminate pre-stretching and staples do not penetrate filter area.



Part No. 14110321

Part No.	Description	Box Qty.
14110321	Flat fold - medium size	50 per box
14110322	Flat fold - large size	50 per box
14110323	N95- small	30 per box